



Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 / TB-500 - 20mg

PASS

ION Peptide
Tested for: Ion Peptide
www.ionpeptide.com

COA #:	COA-2026-XBJQZD	Method:	Full QC Panel
Lot Number:	BB20-05042026	Analysis Date:	05/08/2026
Accession #:	ACC-2026-2018	Appearance:	Good
Concentration:	20mg	Volume:	3mL
Sample Matrix:	Lyophilized	Received:	05/05/2026



Scan to verify
authenticity at ils-lab.com

Identity

Purity

BPC-157 / TB-500

99.93%

Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.93%	%	PASS
Identity (ID)	BPC-157; TB-500	Confirmed	-	PASS




BPC-157 / TB-500 20mg -
BB20-05042026

Additional Tests

Analyte	Specification	Result	Unit	Status
Net Blend Peptide Content	Report Only	21.07	mg	N/A
-- BPC-157 (51%)		10.75	mg	
-- TB-500 (49%)		10.32	mg	

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.93% purity, closest to batch mean of 99.91%)



Dr. Greg Kalyuzhny
Lab Director
5/8/2026

COA #: COA-2026-XBJQZD
Access Code: 3Q8F28NZ
Verify: portal.ils-lab.com/verify/buRUwEWG_0j-Ellh
Issued: 5/8/2026