



Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

MOTS-C - 40mg

Tested for: Puratek Peptides
1810 E Sahara Ave. Suite #522 | puratekpeptides.com

COA #: COA-2026-954724
Lot Number: MOT40007
Labeled Content: 40mg
Sample Matrix: Lyophilized

Analysis Date: 07/31/2026
Appearance: Good
Volume: 3mL
Date Received: 07/24/2026

Method: Full QC Panel

PASS


Scan to verify
authenticity at ils-lab.com
Access Code: LM3WT7BC

Identity

Peptide Purity

MOTS-C


99.87%

Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.87%	%	PASS
Net Peptide Content	Report Only	41.55	mg	N/A
Identity (HPLC-RTM)	MOTS-c	Confirmed	-	PASS



HPLC Chromatogram



Representative chromatogram, Dedicated V0

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.87%	41.55 mg	Confirmed	PASS
Conformity V1	99.86%	41.35 mg	Confirmed	PASS
Mean	99.87%	41.45 mg	—	—
Std Dev	0.0050%	0.1000 mg	—	—




Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: COA-2026-954724
Access Code: LM3WT7BC
Verify: portal.ils-lab.com/verify/4_AcafSIS7Zoi5w
Issued: 7/31/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1.0 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10.0 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.064 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 07/31/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be MOTS-C by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Dedicated V0 (99.87% purity, closest to batch mean of 99.87%).





Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: **COA-2026-954724**

Access Code: **LM3WT7BC**

Verify: [portal.ils-lab.com/verify/4_AcafSIS7Zoi5w](portal.ils-lab.com/verify/4_AcafSIS7Zoi5w)

Issued: 7/31/2026